

INDEX MAPS.

T.9N R.7W 2nd Mer.

	139	138-139	138-139	138-140	138-140	137-140						
142	6	160	5	155	4	152	3	148	2	145	1	137
	160		160		155		151		148		145	
142	7	159	8	155	9	151	10	148	11	144	12	137
	159		159		154		150		148		144	
141	18	158	17	154	16	150	15	147	14	144	13	136
	158		158		154		150		147		143	
141	19	158	20	153	21	150	22	147	23	143	24	136
	157		157		153		150		147		143	
141	30	156	29	153	28	149	27	146	26	143	25	136
	156		156		152		149		146		142	
140	31	155	32	152	33	149	34	146	35	142	36	135
	134		133-134		133-134		133-135		133-135		133-135	

T.10N R.7W 2nd Mer.

	169	168-169	168-169	168-169	168-170	168-170						
171	6	188	5	185	4	182	3	178	2	175	1	167
	188		188		185		181		178		175	
171	7	8	9	181	10	178	11	174	12	167		
	not run	188	184	181		177		174				
171	18	17	184	16	181	15	177	14	174	13	167	
	not run	187	184	180		177		173				
171	19	187	20	183	21	180	22	177	23	173	24	166
	187	187	183		179		176		173			
171	30	186	29	183	28	179	27	176	26	172	25	166
	186	186	182		179		176		172			
170	31	185	32	182	33	179	34	175	35	172	36	165
	164	164	163-164	163-165	163-165	163-165	163-165					

The figures on the lines refer to the page.

Township No. 9. North of Range No. 7 West of the 2nd Mer. Indiana

Ch. L. Lks.

South Bound. 9.

West Oak Knollum line On the South Bound. 9 of Sec. 36.
T. 9. N. R. 7. W.

40.00 Set a timber 7/4 20 feet.

80.00 Set a timber 7 feet for the cor of Sec. 35 & 36.

Clear open prairie with not one stick of timber on it.

West Oak Knollum line On the South Bound. 9 of Sec. 35.
T. 9. N. R. 7. W.

40.00 Set a timber 7/4 20 feet.

60.00 To a Brook. 5 links mid. Course S. E.

80.00 Set a timber 7 feet for the cor of Sec. 34 & 35.

Clear open prairie with not one stick of timber on it.

West Oak Knollum line On the South Boundary of Sec. 34.
T. 9. N. R. 7. W.

20.00 Strip the prairie

40.00 Set a timber 7/4 20 feet.

80.00 Set a " post for the cor of Sec. 33 & 34.

Grass burrows.

West Oak Knollum line On the South Boundary of Sec. 33.
T. 9. N. R. 7. W.

40.00 Set a timber 7/4 20 feet.

80.00 Set a timber 7 feet for the cor of Sec. 32 & 33.

Grass burrows.

West Oak Knollum line On the South Bound. 9 of Sec. 32.

14.00 To a Brook. 3 links mid. Course N.

40.00 Set a 7/4 20 timber 7 feet.

80.00 " " timber 7 feet for the cor of Sec. 31 & 32.

Good level Oak land.

T. No. 9. N. R. No. 77. 2nd Mer. Ind.

West Oak Run dam line On the South Boundary of Sec. 31.
T. 9. N. R. 77.
5.00 To a Brook, 3 links, and, hence S.
18.00 " " No. 8 " " " S.
39.50 " " No. 3 " " " "
40.00 Set a temporary 1/4 section post.
80.00 Struck Harris's Spr. corner. from S. 8. + 9. N. R. 77. 708 W.
Good but Oak land.

Corrected and Marked the line East.
East On the true line On the South Boundary of Sec. 31.
T. 9. N. R. 77.
40.00 Set the temporary 1/4 section post on the true line. From which an
N. Oak. 24 in. dist. bears. N 14 W. 17 links west; & a
W Oak. 14 " " " S. 6 W. 71 " "
80.00 Set a post for the cor of sec. 31. + 32 on the true line from
which a N. Oak. 12 in. dist. bears. N 56 W. 37 links west; & a
W Oak. 24 " " " South 36 " "

East On the true line On the South Boundary of Sec. 32.
T. 9. N. R. 77.
40.00 Set the temporary 1/4 section post from which a (on true line)
N. Oak. 10 in. dist. bears. S. 45 W. 3 links west; & a
No. 15 " " " N 56 E 11 " "
80.00 Set the temporary post on the true line for the cor of Sec. 32 + 33.
From which a W Oak. 36 in. dist. bears. N 23 E. 175 links and
no other timber near.

East On the true line On the South Boundary of Sec. 33.
T. 9. N. R. 77.
40.00 Set the temporary 1/4 section post on the true line from which a
N. Oak. 12 in. dist. bears. S 36 E. 9 links west; & a
W Oak. 30 " " " N 21 W. 15 " "

80.00 Set the timber post on the true line for the cor. of Secs 33 & 34 from which a Hickory 16 in. diam. bears S 88 E. 135 links with Northern timber near.

East On the true line On the South Boundary of Sec. 34 T. 9. N.R. 7 W.

40.00 Set the timber post on the true line from which a W. Oak 24 in. diam. bears S 89 W. 97 links with 1 No other timber near.

80.00 Set the timber post on the true line for the cor. of Secs 34 & 35. from which a W. Oak 24 in. diam. bears S 45 E. 108 links with the above post in prairie

East On the true line On the South Boundary of Sec. 35. T. 9. N.R. 7 W.

40.00 Set the timber post on the true line in prairie

80.00 " " " Post on the true line for the cor. of Secs 35 & 36 in the prairie

East On the true line On the South Boundary of Sec. 36. T. 9. N.R. 7 W.

40.00 Set the timber post on the prairie at the true line.

80.00 Set the cor. of T. 8. & 9. N.R. 7 & 6 W.

East Boundary

South On the East Boundary of Sec. 36. T. 9. N.R. 7 W.

29.00 To a large pond extending E & W. 3 ch. wide, thence through good bottom land. Sinter Oak & Elm.

40.00 Set a W. sap post, from which a Hickory 14 in. diam. bears N 86 W. 29 links with 4 a W. Elm 16 " " " N 86 E. 39 " "

54.50 To a Hickory 16 in. diam. on the line.

80.00 Set a post for the cor. of Secs 25 & 36. from which a

T. N. 9. N. R. 1. 7. 2nd Men. Ind?

Ash 18 in. dia. trees 86 E. 22 links with: 1 an
 Elm 12 " " " N 42 W 21 " "
 Land not under survey Timber Ash Elm & Maple.
 Last 1/2 mile more Buck land.

North On the East Boundary of Sec. 12. T. 9. N. R. 7. W.
 12.00 To a Brook. 3 links with, corner N.
 37.00 " " Spring corner N.
 40.00 Set a post for the corner of Sec. 12 from which a
 Sugar 14 in. dia. trees 88 N. 29 links with: 1 an
 Walnut 6 " " " N 52 W 29 " "
 75.00 To a Brook. 4 links with, corner E. W.
 80.00 Set a post for the corner of Sec. 12 from which a
 W Oak 36 in. dia. trees. 815 N. 4 links with: 1 an
 20. 30 " " " N 1/6 E. 5 " "
 Good Buck land.

North On the East Boundary of Sec. 1. T. 9. N. R. 7. W.
 37.30 To a Brook. 15 in. dia. stands with the line.
 37.00 " " Spring. corner N.
 40.00 Set a post for the corner of Sec. 1 from which a
 W Oak 18 in. dia. trees. 816 N. 42 links with: 1 an
 Ash 24 " " " N 31 E. 43 " "
 47.00 To a Brook. 3 links with, corner N.
 60.00 " " Do. 3 " " " " "
 76.00 " " Do. 3 " " " " "
 80.00 Set a temporary post for the corner of Sec. 1 from which a
 Good land; Timber Sugar, Buck, & Oak.

North Boundary.

West On a Random line On the South Boundary of Sec. 36.
 T. 10 N. R. 7 W
 10.00 To a Brook. 3 links with, corner E.

T. No. 9. N.R. No. 7 N. 2nd Mer. Ind.

20.00 Look Brook, 300 yds. near, Corner S.
 30.00 " " No. 3 " " "
 40.00 Get a timber 1/4 in post.
 80.00 " " Post for the cor. of sec 35 & 36.
 Good bottom land. Timber Birch, Sugar, & Poplar.

West Oak Run line On the South Boundary of sec 35.
 T. 10. N.R. 7 N.

30.00 Look Brook, 100 yds. near, Corner S.
 40.00 Get a timber 1/4 in post.
 80.00 Get a " Post for the cor. of sec 34 & 35.
 Good bottom land. Timber Hickory, Elm, & Ash, &c.

West Oak Run line On the South Boundary of sec. 34
 T. 10. N.R. 7 N.

30.00 Look Brook, 50 yds. near, Corner S.
 40.00 Get a timber 1/4 in post.
 80.00 " " Post for the cor. of sec. 33 & 34.
 Good bottom land. Timber Sugar, Walnut, Buckeye
 Ash &c.

West Oak Run line On the South Boundary of sec. 33
 T. 10. N.R. 7 N.

10.00 Look Brook, 200 yds. near, Corner S.
 35.00 Enter the prairie
 40.00 Get a timber 1/4 in post.
 70.00 Back prairie
 80.00 Get a post timber for the cor. of sec. 32 & 33.
 Good bottom land. Timber Sugar, Walnut, &c.

West Oak Run line On the South Boundary of sec. 32
 T. 10. N.R. 7 N.

40.00 Get a timber 1/4 in post.

T. No. 9. N.R. No. 77. 2nd Mer. Ind.

East On the true line On the South Boundary of Sec. 34.
T. 90. N.R. 77
40.00 Let the temp. 7th support on the true line from which a
Ash. 12 in. diam. beam. N 66 W. 18 links each; 4 a
W Oak. 16 " " S 80 E 29 " "
80.00 Let the temp. 7th post on the true line for the cor. of sec. 34 & 35
from which a Hickory 18 in. diam. beam. S 58 E. 15 links each;
and an Ash. 18 " " " N E 22 " "

East On the true line On the South Boundary of Sec. 35.
T. 10. N.R. 77.
40.00 Let the temp. 7th support on the true line from which a
Yew. 24 in. diam. beam. N 14 W. 23 links each; 4 a
Bryar. 7 " " " S 58 W. 15 " "
80.00 Let the temp. 7th post on the true line for the cor. of sec. 35 & 36
from which a Ash. 16 in. diam. beam. N 14 E. 27 links each;
and an Elm. 24 " " " S 35 W. 32 " "

East On the true line On the South Boundary of Sec. 36.
T. 10. N.R. 77.
40.00 Let the temp. 7th support on the true line from which a
Hickory 14 in. diam. beam. N 50 W. 27 links each; 4 a
Elm. 12 " " " S 63 E. 31 " "
80.00 Let the cor. of T. 9 & 10. N.R. 65 W. from which a
Hickory 8 in. diam. beam. N 73 E. 6 links each; 4 a
Elm. 12 " " " S 41 W. 34 " "
Surveyed by
Alex. C. Anderson, Notary P. S.

West Boundary

North On the East Boundary of Sec. 36 T. 9. N.R. 8 W. v. 6. 40.00
8.50 To a Brook 8 links in a corner W.
35.00 " " 20 " 5 " " " "
40.00 Let a 7th support from which a

W Oak 30. in. diam. beams. 163 N. 51 links each; 42
 Lg. 14 " " " 916 E. 34 " "
 80.00 Set apart for the cor of sec 25 & 26 from which,
 Hickory 17 in. diam. beams. 184 N. 48 links each; 42
 W Oak 30 " " " 858 E. 53 " "
 Sand nothing and good wheat land; Timber Oak,
 Hickory.

North On the East Boundary of sec. 25 T. 9. N. R. 8 W.
 40.00 Set a 7th in. post from which,
 Hickory 12 in. diam. beams. 185 N. 44 links each; 42
 Lg. 10 " " " 849 E. 72 " "
 80.00 Set apart for the cor of sec. 24 & 25 from which,
 W Oak 24 in. diam. beams. 161 E. 59 links each; 42
 Lg. 14 " " " 142 N. 61 " "
 Sand and timber same very bushy

North On the East Boundary of sec. 24 T. 9. N. R. 8 W.
 7.50 Look Brook. 8 links each, Corner W.
 40.00 Set a 7th in. post from which,
 Hickory 11 in. diam. beams. 139 E. 19 links each; 42
 Lg. 9 " " " 144 N. 26 " "
 80.00 Set apart for the cor of sec. 13 & 24 from which,
 W Oak 27 in. diam. beams. 89 E. 77 links each; 42
 Lg. 18 " " " 122 N. 61 " "
 Sand hill; thin timber with Oak & Hickory
 " part wet and part muddling good wheat land

North On the East Boundary of sec. 13 T. 9. N. R. 8 W.
 40.00 Set a 7th in. post from which,
 W Oak 27 in. diam. beams. 178 E. 30 links each; 42
 Lg. 20 " " " 185 N. 36 " "
 80.00 Set apart for the cor of sec. 12 & 13 from which

T. No. 9. N.R. N. 7 W. 2nd Mer. Ind^a

Black. 13 in. diam. trees, S 48 W 46 links dist; 4th
 Op. 18 " " " N 22 E 45 " "
 Sand hole under mt. Timber Oak & Hickory 3rd rate.

North Out to East Boundary of sec. 12. T. 9. N.R. 8 W.
 In a small prairie.
 40.00 Set a 1/4 section from which, in a small prairie
 Hickory 13 in. diam. trees, N 81 W 32 1/2 links dist;
 80.00 Set a post for the cor of sec. 17 1/2 from which,
 Hickory 12 in. diam. trees, S 48 W 114 links dist; 4th
 Do 12 " " " N 61 W 93 " "
 Under the R.R. mt. same. The last mt. prairie.

North Out to East Boundary of sec. 1. T. 9. N.R. 5 W.
 40.00 Set the 1/4 section from which,
 Black. 9 in. diam. trees, N 53 W 17 links dist; 4th
 Hickory 9 " " " N 67 E 31 " "
 80.00 Set a post for the cor of T. 9. N. 9. H. N.R. 2 N. 7 & 8 W.
 from which, Black. 18 in. diam. trees, N 48 E 9 links dist;
 under Do. 24 " " " S 59 W 72 " "
 Sand hole Timber Oak & Hickory; Soil middling
 good for wheat.

Surveyed by
 William Harris Esq.

Subdivision
 South Return Sec. 35 & 36. T. 9. N.R. 7 W. (On a Random line)
 40.00 Set a corner post
 80.00 A post to be found 3rd rate prairie

West Return Sec. 25 & 36. T. 9. N.R. 7 W. Nov. 9 1815.
 40.00 Set the 1/4 section in prairie; no bearing true
 80.00 Set a post for the cor of sec. 25, 26, 35 & 36 in prairie

T. No 9. N.R. No 77. D. No 100. (Nov. 1893)

143

Notarizing Land 1 3rd rate main

North	Between Sec 25 & 26. T. 9. N.R. 77.
40.00	Get a 1/2 suppost in main
80.00	Get a post for the cor. of sec. 23, 24, 25 & 26. From which a W. Ash. 24 in. dia. beam. 198.16 links arch; and a Ely. 18 " " " 11577.21 " " Lands 2 nd rate;
Cash	On a line between Sec. 24 & 25. T. 9. N.R. 77.
40.00	Get a stump 1/2 suppost
79.55	Set out the East Boundary 28 links South of the post cor. of sec. 24 & 25. Lands 1 st rate.
West	On the line between Sec. 24 & 25. T. 9. N.R. 77
39.77	Set the stump 1/2 post at the av. arch on the line from which a W. Oak. 12 in. dia. beam. South 16 links arch; & " W. Ash. 10 " " " 12677.8 " " 79.55 To the post cor. of sec. 23, 24, 25 & 26.
North	Between Sec. 23 & 24. T. 9. N.R. 77.
36.95	To a brook 250 links S.W. corner E.
40.00	Get a 1/2 suppost from which a Maple 9 in. dia. beam. 189 E. 1/2 links arch; & Willow 10 " " " 14377.20 " " 65.00 To a brook 250 links S.W. corner T. 9.
80.00	Get a post for the cor. of sec. 13, 14, 23 & 24 from which a Sycamore 12 in. dia. beam. 1577.17 links arch; & Ely. 6 " " " 14677.18 " " Bottom lands which overflow
Cash	On a line between Sec. 13 & 24 T. 9. N.R. 77

T. N. G. N. R. No. 7. 7th 2nd Mer. Sur.

40.00	Set a trap 7/4 suppost	Nov. 12. 1815.
78.89	Enter set the East Runway 150 links North of the post cor of Ses. 13 + 24 Sands low not bottom.	
West	On the true line between Ses. 13 + 24 T. G. N. R. 7 th 2 nd v. 7. 15.	
39.44	Set the trap 7/4 suppost at the cor. ditch on the true line from which a 7 th Oak 7 in. diam. bears S 52 nd 77.8 links ditch; S " 11 Oak. 10 " " 867 E. 21 " "	
78.89	To the post cor of Ses. 13. 14. 23 + 24	
North	Between Ses. 13 + 14 T. G. N. R. 7 th 2 nd v. 7. 15.	
40.00	Set a 7/4 suppost from which a 7 th Oak. 10 in. diam. bears S 54 E. 22 links ditch; S 7 th Oak. 14 " " 114 77.34 " "	
80.00	Set a post for the cor. of Ses. 11. 12. 13 + 14 from which a 7 th Oak. 14 in. diam. bears S 47 th 17 links ditch; S Hemlock 18 " " 120 77.15 " "	
	Sand low and not, Timber Oak, Birch, Elm &c.	
East	On a Runway line between Ses. 12 + 13 T. G. N. R. 7 th 2 nd v. 7. 15.	
40.00	Set a trap 7/4 suppost.	
79.08	Enter set the N. 7 th line 78 links North of the post cor of Ses. 12 + 13. Sands low not bottom.	
West	On the true line between Ses. 12 + 13 T. G. N. R. 7 th 2 nd v. 7. 15.	
39.54	Set the trap 7/4 suppost. at the cor. ditch on the true line from which a Maple 12 in. diam. bears S 74 E. 8 links ditch; and a 7 th Oak. 4 " " 866 77.20 " "	
79.08	To the post cor. of Ses. 11. 12. 13 + 14.	
North	Between Ses. 11 + 12 T. G. N. R. 7 th 2 nd v. 7. 15.	

T. No 9. N. R. No 7 W. 2nd (Main) Ind.

145

40.00 Set a 1/4 sup post from which Nov. 13. 1815

Black 10 in. dia. beam. S 33 N. 17 E. 1/4 link 1/4 dist; and a Maple 18 " " " S 70 E 31 " "

80.00 Set a post for the cor. of sw. 1. 2. 11. + 12 from which, Gum. 5 in. dia. beam. N 23 W. 15 link 1/4 dist; & Cottonwood 10 " " " S 79 E 2 " " Land here not bottom which overflows.

East Quadrandum line between Sw. 1 + 12 T. 9. N. R. 7 W. 18500.

40.00 Set a stump 1/4 sup post

80.62 Enter at the East Boundary 19 link South of the post cor. of sw. 1 + 12

Land West 1/4 same as last note; East 1/4 maddling good farming land. Timber Oak, Hickory & Birch &c.

West Enter the line between Sw. 1. + 12 T. 9. N. R. 7 W.

40.31 Set the stump 1/4 sup post at the cor. dist on the line from which, Hogwoods 7 in. dia. beam. N 54 E. 3 link 1/4 dist and a Loc. 8 " " " S 65 E. 16 " "

80.62 To the post cor. of sw. 1. 2. 11. + 12.

North Between Sw. 1 + 12 T. 9. N. R. 7 W.

40.00 Set a 1/4 sup post from which

Black 8 in. dia. beam. S 11 W. 14 link 1/4 dist; & a

Loc. 9 " " " N 11 E 7 " "

80.00 Enter at the N. Boundary 80 link West of the post cor. of sw. 35 + 36 T. 10 N. R. 7 W. and set a post for the cor. of sw. 1. + 2 from which,

Black 11 in. dia. beam. S 33 E. 25 link 1/4 dist; & a

Gum. 10 " " " N 57 W. 23 " "

Land South 3/4 cor. not bottom, which overflows the North 1/4 maddling good farming land.

ga

Com

T. P. 9. N. R. N. C. W. 2nd Mer. Sec. 9.

South Quarter line between Sec. 34 & 35. T. 9. N. R. 7. W.
 40.00 Set a timber 7/4 sap post.
 81.00 Enter at the South Boundary 60 links East of the post
 cor. of Sec. 34 & 35.
 Grande barros unde prairie.

North Quarter line between Sec. 34 & 35 T. 9. N. R. 7. W.
 40.50 Set the timber post at the ar. dish in the true line from which,
 43 Oak. 36 in. diam. trees. 148 N. 76 links dish; 43
 Hemlock 12 " " " 140 N. 68 " "
 81.00 To the post cor. of Sec. 26, 27, 34 & 35.

East Quarter line between Sec. 26 & 35. T. 9. N. R. 7. W.
 40.00 Set a timber 7/4 sap post.
 80.50 Enter at the N. E. line 130 links North of the post cor. of
 Sec. 25, 26, 35 & 36.
 Grande 2nd rate.

West Quarter line between Sec. 26 & 35. T. 9. N. R. 7. W.
 40.25 Set the timber 7/4 sap post at the ar. dish on the true line from
 which, 43 Oak. 36 in. diam. trees. N 31 E 52 links dish;
 and 43 Hemlock 30 " " " 130 N. 36 " "
 80.50 To the post cor. of Sec. 26, 27, 34 & 35.

South Quarter Sec. 26 & 27 T. 9. N. R. 7. W.
 40.00 Set a 7/4 sap post from which,
 43 Oak. 4 in. diam. trees. 145 N. 16 links dish; 43
 Hemlock 3 " " " 130 E. 16 " "
 80.00 Set a post for the cor. of Sec. 26, 27, 34 & 35 from which,
 Hemlock 12 in. diam. trees. 168 E. 56 links dish; 43
 43 Oak. 40 " " " 180 N. 68 " "
 Grande 2nd rate.

West	Return Sec. 23 & 26. T. 9. N. R. 7 W.
40.00	Set a 1/4 section in a prairie
80.00	Set a post for the cor. of Sec. 22, 23, 26 & 27. in prairie. Lands not prairie: Apr. 10. 1876.
North	Return Sec. 22, 23. T. 9. N. R. 7 W.
40.00	Set a 1/4 section in a prairie
80.00	Set a post for the cor. of Sec. 14, 15, 22 & 23. in prairie
East	On Random line between Sec. 14 & 23. T. 9. N. R. 7 W.
40.00	Set a temporary 1/4 section. Nov. 15.
80.25	Enter cut the N & S line 106 links North of the post cor. of Sec. 13, 14, 23 & 24 Lands here and not very good.
West	On the true line between Sec. 14 & 23. T. 9. N. R. 7 W.
40.12	Set the temporary 1/4 section on the true line from which N. 101° 12' in dist. 600. S. 6° 27' links dist. 1/4 S. 60° 30' " " N. 10° 19' " "
80.25	To the post cor. of Sec. 14, 15, 22 & 23.
North	On Random line between Sec. 14 & 15. T. 9. N. R. 7 W.
10.10	Crossed the prairie
79.80	Enter cut the E & W line 35 links East of the post cor. of Sec. 14, 15, 18 & 19. Lands here Timber Oak, Hickory, Gum, ash, &c.
South	On true line between Sec. 14 & 15. T. 9. N. R. 7 W.
39.90	Set the temporary 1/4 sec. post at the corner on the true line from which a. N. 41° 20' in dist. 600. S. 11° 53' links dist. 1/4 S. 24° " " " N. 15° 17' 64' "
79.80	To the post cor. of Sec. 14, 15, 22 & 23.

T. N. 9. N. R. N. 7 W. 2nd Mer. Ind. 2

East
38.85 On a Kansas line between Sec. 11 & 14. T. 9. N. R. 7 W.
80.68 To a creek. 257 links mid., corner S.
Set a lat. line N. 75 W. 10 links south of the post corner of Sec. 11, 12, 13 & 14.
Grade bottom; West to good rich soil.

West
40.34 On the line between Sec. 11 & 14. T. 9. N. R. 7 W.
Set the timber to a post at the av. dist. on the line from
the line to the bearing of the
80.68 To the post corner of Sec. 10, 11, 14 & 15.

South
19.00 Return Sec. 10 & 11. T. 9. N. R. 7 W. N. 75° 15'.
To a Brook. 26 links mid., corner S.E.
40.00 Set a 1/4 section from which
48 Oak. 12 in. diam. trees. N 88 W. 19 links each; 1st
Elm. 18, " " S. E. 19, " "
50.31 To the Bank of Oak River 250 links mid., corner S.E.
80.00 Set a post for the corner of Sec. 10, 11, 14 & 15 from which
White Oak. 16 in. diam. trees. N 70 W. 24 links each; 1st
Elm. 12, " " S. E. 23, " "
South of this note rich bottom.

West
40.00 Return Sec. 2 & 11. T. 9. N. R. 7 W. N. 5° 40'.
Set a timber to a post from which
Maple. 18 in. diam. trees. N 67 W. — links each; 1st
Elm. 12, " " S. E. 29, " "
80.00 Set a post for the corner of Sec. 2, 3, 10 & 11 from which
Oak. 4 in. diam. trees. S. E. 3 links each; 1st
Elm. 9, " " S. 7 W. 10, " "
Grade low overflooded, rich bottom. good note.

North
40.00 Return Sec. 2 & 11. T. 9. N. R. 7 W. N. 9° 15'. N. 9° 15'.
Set a 1/4 section from which

T. No. 9. N.R. No. 7 N. 2nd Mer. Ind.

	Maple 18 in. diam. trees. S. 15 E 13 links each; & Heights 20 " " " " N 12 E 13 " "
79.55	Enter at the N Boundary 58 links West of the post. cor of lat 34 & 35. T. 10 N.R. 7 W. and set apart for the " " " 2. S. 3. from which Heights 15 in. diam. trees. S. 1 E 19 links each; & a Elev. 5 " " " " N 51 W. 11 " " Land overflooded in time of High Water.
North 40.00	On Random line between Lat. 34 & 33 T. 9 N.R. 7 W. Set a trap 1 1/4 square. Nov. 12, 1815.
78.76	Enter at the South Boundary 118 links East of the post. cor of lat. 33 & 34 Good barren land.
North 39.38	On the true line between Lat. 33 & 34 T. 9 N.R. 7 W. Set the trap 1 1/4 square at the end of the true line from which, Heights 14 in. diam. trees. S. 11 W. 53 links each and a Elev. 2 " " " " N 50 E 2 " " 78.76 To the post cor of lat. 27 28 33 & 34.
North 40.00	Return Lat. 27 & 34 T. 9 N.R. 7 W. Set apart for the cor of lat. from which, Heights 24 in diam. trees. S. 89 W. 6 links each; & a 43 Oak. 6 " " " " N 23 W. 20 " " 80.00 Set apart for the cor of lat. 27 28 33 & 34. Land same prairie; Prairie & Barren.
North 40.00	Return Lat. 27 & 28 T. 9 N.R. 7 W. Set a post for the cor. of lat. 20. 80.00 Set apart " " " " cor of lat. 21. 22. 27 & 28. Land rich prairie and good for farming. Nov. 11, 1815.

T. N. G. A. R. N. 7th N. 2nd M. S. 2nd

West ChapRaudun line between Lat. 22 & 27 T. 9. N. R. 7 W.
 40.00 Set a trap 1/4 mi. S. of post
 80.25 Intersect the A & B line 50 miles South of the post on off
 Lat. 21, 22, 27 & 28.
 Grade 2nd rate prairie.

East On the true line between Lat. 22 & 27 T. 9. N. R. 7 W.
 40.12 Set the trap 1/4 mi. S. of post. on the true line at cor. sub.
 80.25 To the post on off Lat. 24, 25, 26 & 27.

North Return Lat. 21 & 22 T. 9. N. R. 7 W. Nov. 14. 1815. v. 5th 6
 40.00 Set a trap 1/4 mi. S. of post in prairie no bearing trees.
 80.00 Set a post for the cor. of Lat. 15, 16, 21 & 22. in prairie
 3rd rate; No bearing trees.

East ChapRaudun line between Lat. 15 & 22 T. 9. N. R. 7 W. v. 5th 40
 40.00 Set a trap 1/4 mi. S. of post.
 80.10 Intersect the A & B line 93 miles South of the post cor.
 of Lat. 14, 15, 22 & 23.

West On the true line between Lat. 15 & 22 T. 9. N. R. 7 W.
 40.05 Set the trap 1/4 mi. S. of post on the true line at cor. sub.
 in the prairie No bearing trees.
 80.10 To the post cor. of Lat. 15, 16, 21 & 22.

North Return Lat. 15 & 16. T. 9. N. R. 7 W. Nov. 16. 1815
 40.00 Set a trap 1/4 mi. S. of post in prairie no bearing trees
 80.00 Set a post for the cor. of Lat. 9, 10, 15, & 16 from which
 R. C. R. 27 in. diam. bears N 57° 12' 3" E. 123 miles each & a
 height 10 " " " 941 E. 88 " "
 Grade 3rd rate prairie

East ChapRaudun line between Lat. 10 & 15 T. 9. N. R. 7 W. v. 6th 20

T. N. G. N. N. N. 777. 2nd Run Sud.

4000 Set a trap 1/4 S. post.
 79.92 Enter cut the N. S. line 8 miles South of the post on of cut
 10.11.14 + 15.
 Grade on the West 1/2 similar to the last mile. East 1/2 mile
 level; Similar to R. & W. cuts

West On the true line between cut 10 + 15 T. N. G. N. N. 777.
 39.96 Set the trap 1/4 post at the ar. dish on the true line from which
 72 Oak. 9. in. diam. trees. N. 69 E. 143 hanks each;
 79.92 To the post on of cut 9.10.15 + 16.

South On a random line between cut 9 + 10 T. N. G. N. N. 777. 71.715
 4000 Set a trap 1/4 S. post. Nov. 18, 1815.
 80.76 Enter cut the East & W. section. 100 miles East of the post on of
 cut 9.10.15 + 16.
 Grade 1/2 1/2 mile good; last 1/2 mile and from.

North On the true line between cut 9 + 10 T. N. G. N. N. 777.
 40.38 Set the trap 1/4 post at the ar. dish on the true line from which
 a 72 Oak. 8 in. diam. trees. S. 82 E. 52 hanks each; 5
 Walnut 12, 4, 4 S. 84 W. 21, 4
 80.76 To the post on of cut 3.4.9 + 10.

East On a random line between cut 3 + 10 T. N. G. N. N. 777.
 25.50 To Col River 225 miles, course S. 91.
 4000 Set a trap 1/4 S. post.
 64.00 To a creek 30 miles, course S. W.
 79.47 Enter cut the N. S. line 90 miles North of the post on of
 cut 2.3.10 + 11.
 Grade now bottom 1/2 S. post in time of High Water.

West On the true line between cut 3 + 10 T. N. G. N. N. 777.
 39.73 Set the trap 1/4 S. post at the ar. dish from which

T. N. 9. N. R. N. 7 W. 2nd Mer. Ind.

Back 40 in. diam. beam. N 11 E. 8 links arch; 1/4
 Ho. 12 " " " " S 7 N. 37 " "
 79.47 To the post on of lat 3, 4. 9 & 10.

North Return Lat 3 & 4. T. 9. N. R. 7 W. T. N. 9. N. R. 7 W.
 23.00 To Bend in the River
 40.00 To Sycamore 48 in. diam. stands for the cor of 7/4 to
 45.00 To El River corner N. E. 400 links max.
 64.00 To Bend in the River
 80.69 Enter at the A. Boundary 22 links East of the post, ^{Lat 3 & 4}
 T. 9. N. R. 7 W. and set a post for the cor of lat 3 & 4, from
 which, Sugar 12 in. diam. beam. S 10 E. 29 links arch;
 angle in Chain 10 " " " " N 9 E. 36 " "
 Land is also bottom; overflows when the River is very high.

South On a Random line between Lat. 32 & 33. T. 9. N. R. 7 W.
 40.00 Set a temporary post for the cor of 7/4 to.
 80.00 Enter at the South Boundary 61 links East of the post,
 cor of lat. 32 & 33. Land same.

North On the true line between Lat. 32 & 33. T. 9. N. R. 7 W.
 40.00 Set a 7/4 to temporary post on the true line at an arch, from
 which, N Oak, 24 in. diam. beam. S 6 E. 46 links arch;
 angle in 73 Oak. 34 " " " " N 67 E. 121 " "
 80.00 To the post on of lat. 27, 28, 32 & 33.

West Return Lat 28 & 33. T. 9. N. R. 7 W.
 40.00 Set a 7/4 to post from which,
 N Oak 20 in. diam. beam. S 22 W. 8 links arch; 1/4
 Ho. 2 " " " " S 6 N. 2 " "
 80.00 Set a post for the cor of lat. 28, 29, 32 & 33, from which,
 N Oak. 20 in. diam. beam. S 7 E. 88 links arch; 1/4
 Ho. 36 " " " " N 21 W. 59 " "

T. N. G. M. R. N. 7 W. 2nd Mer. Sec.

Good farming land; Timber Oak &c.

South	Quadrangle line between Sec. 28 & 29 T. 9. N. R. 7 W.
40.00	Set a timber 1/4 sec post.
80.07	Return to the East & West 90 links East of the post on of Sec. 28, 29, 32 & 33. Good farming land. Timber W & B Oak.
North	Along town line between Sec. 28 & 29 T. 9. N. R. 7 W.
40.03	Set the timber 1/4 sec post. from which Newby 36 in. diam. bears N 1 E 33 links north; & a No. 12 " " " S 42 W. 44 " "
80.07	To the post on of Sec. 20, 21, 28 & 29.
West	Return Sec. 21 & 28, T. 9. N. R. 7 W.
35.00	To Barrus.
40.00	Set a 1/4 sec post from which R. Oak. 6 in. diam. bears N 7 E. 44 links north; & a No. 6 " " " S 39 W. 21 " "
80.00	Set a post for the cor. of Sec. 20, 21, 28 & 29 from which R. Oak. 4 in. diam. bears S 4 E. 70 links north; & a Newby 12 " " " N 21 E. 38 " " Good farming land; Barrus and prairie
North	Return Sec. 20 & 21, T. 9. N. R. 7 W. Nov. 15, 1815.
21.00	To Prairie
40.00	Set a 1/4 sec post. in prairie from which Newby 24 in. diam. bears N 89 W. 77 links north;
44.00	Leave prairie
80.00	Set a post for the cor. of Sec. 16, 17, 20 & 21. from which R. Oak. 8 in. diam. bears S 4 E. 92 links north; & a No. 36 " " " N 10 W. 121 " " Good farming land; Barrus & Prairie

T. 9. N. R. 7. W. 2nd Mer. Sec. 2

West	Return Sec. 16 & 21. T. 9. N. R. 7. W. N. 5. 00 On Road.
40.00	Crossed the prairie and set a trap 1/4 mi. post.
79.13	Set out the N. 7. 3 line 19 miles South of the post on off 16. 17. 21 & 22. Land here and back East 1/2 3rd rate prairie " West 1/2 3rd rate Oak & Hickory land.
East	On a line between Sec. 16 & 21. T. 9. N. R. 7. W.
39.56.	Set the trap 1/4 mi. post at the arched on the line from which, Hickory 14 in. diam. bears. N. 3 E. 8 miles dist; and a 160 — " " " S. 47 W. 13 " "
79.13	To the post corner of Sec. 15. 16. 21 & 22.
South	Return Sec. 16 & 17. T. 9. N. R. 7. W. Nov. 16. 1815. N. 7. 15
40.00	Set a 1/4 mi. post from which N. Oak. 30 in. diam. bears. S. 59 W. 48 miles dist; & a W. Oak 15 " " " S. 19 E. 53 " "
80.00	Set a post for corner of Sec. 8. 9. 16. & 17. from which N. Oak. 30 in. diam. bears. S. 67 W. 129 miles dist; & a H. 36 " " " S. 19 W. 109 " " Land good for farming. Timber N. W. Oak.
West	Return Sec. 9 & 16. T. 9. N. R. 7. W. N. 5. 15 Road. line
40.00	Set a trap 1/4 mi. post.
79.37	Set out the N. 7. 3 line, 65 miles North of the post on off Sec. 8. 9. 16 & 17. Land some what rolling and good for wheat Low scrubby brush.
East	On the line between Sec. 9. & 16. T. 9. N. R. 7. W.
39.68	Set the trap 1/4 mi. post at the arched on the line from which, Hickory 10 in. diam. bears. S. 28 E. 128 miles dist
79.57	To the post corner of Sec. 9. 10. 15 & 16.

2nd 9. A.M. No 7th 2nd (Mm. Sec. 2)

North	Return Sal. 8.49 19 A.M. 7 th V. 7.15
40.00	Set a 1/4 to post from which
	N. Oak 18 in. diam. beam. N 19 E. 90 links arch; & a
	Heiky 11 " " " N 35 W. 67 "
80.00	Set a post for the cor. of Sal. 4.5, 8.49 from which
	N. Gum. 20 in. diam. beam. S 27 W. 267 links arch;
	Land 3 rd rate; North 7 th Prairie
East	Return Sal. 4.49 19 A.M. 7 th
40.00	Set a post on the prairie for the cor. of 1/4 Sec.
33.00	Leave the prairie
80.00	Set a post for the cor. cr of Sal. 3.4. 9.410 from which an
	Elm. 10 in. diam. beam. S 31 W. 20 links arch; & a
	Heiky 20 " " " N 83 E. 10 "
	Prairie not near bottom; not; Lumber Elm, Heiky & Oak
	Arch &
North	Return Sal. 4.45 19 A.M. 7 th V. 7.15
40.00	Set a 1/4 to post in a prairie
44.00	Leave prairie.
60.00	To a Prairie
77.50	Leave prairie
82.09	Enter cut at Boundary. 30 links East of the post.
	on of Sal. 32.733 19 A.M. 7 th and set a post for the
	" " " 4.45 from which
	Heiky 15 in. diam. beam. S 45 W. 75 links arch; & a
	Hg 18 " " " S 70 E. 46 " "
	Land 2 nd rate prairie and barrens. Lumber Heiky
	and Oak.
South	Return Sal. 31.432 19 A.M. 7 th Oak Land in
5.00	To a Prairie V. 6.
27.00	Leave the prairie

T. N. 9. S. R. N. 7. W. Q. 1. d. (M. S. Ind. 2)

40.00 Set a trap 1/4 S. post.
80.80 Set a trap 1/4 S. post. or South Boundary 32 links
East of the post cor. of lat. 31 & 32
Grass prairie and barrens.

North Return lat. 31 & 32 T. 9. S. R. 7. W.
40.40 Set a trap 1/4 S. post at the ar. dish on the line
from which, N. Oak 20 in. diam. trees. N. 43 W. 42 the dish
under a N. Oak to " " S. 60 E. 34 "
80.80 To the post cor. of lat. 29. 30. 31 & 32.

West Return lat. 29 & 30 T. 9. S. R. 7. W.
40.00 Set a 1/4 S. post from which
N. Oak 20 in. diam. trees S. 7 E. 8 links dish; 4 a,
H. 24 " " " N. 46 W. 25 " "
80.00 Set a post for the cor. of lat. 29. 30. 31 & 32 from which
H. 12 in. diam. trees. N. 1 E. 60 links dish; 4 a,
N. Oak 15 " " " S. 53 E. 142 " "
Grass prairie and 2nd rate soil; Timber Gum Oak & Hickory

West Return lat. 30 & 31 T. 9. S. R. 7. W.
40.00 Set a 1/4 S. post from which
Hickory 12 in. diam. trees S. 75 E. 32 links dish; 4 a,
N. Oak 24 " " " S. 32 W. 16 " "
81.60. Set a lat. the West Boundary 30 links South of the post.
cor. of lat. 35 & 36. T. 9. S. R. 8 W. and set a post for the
" " " 30. & 31. from which
N. Oak 15 in. diam. trees. N. 33 E. 90 links dish; 4 a,
N. Oak 36. " " East. 39 " "
Grass prairie and 2nd rate soil; Timber N. Oak & Hickory

North Return lat. 29 & 30 T. 9. S. R. 7. W.
/ Nov. 14. 1875. W. 6. 35

T. N. 9. R. N. 7. W. 2nd (Mn. Ind.)

157

40.00 Set a 1/4 support from which
W Oak. 18 in. diam. beam. N 9 E. 36 beam ends; 4 1/2
Do. 24 " " " " S 61 E. 70 " " "
78.00 To small brook. Comm. M.C.
80.00 Set a post for the cor of lot. 19. 20. 29 & 30 from which
W Oak. 36 in. diam. beam. N 21 E. 10 beam ends; 4 1/2
Do. 30 " " " " S 21 E. 26 " " "
Lands 2nd rate Timber W Oak. 1/2.

East On a Random line between Lot. 20 & 29 T. 9. N. 7. W.
40.00 Set a 1/4 support post. N. 5. 50
79.40 Intersect the N. 5 line 58 links, North of the post.
cor of lot. 20. 21. 28. & 29.
Lands same.

West On the line between Lot. 20 & 29. T. 9. N. 7. W.
39.70 Set the support 1/4 support on the line at the ar. ends
from which Hewitt 18 in. diam. beam. N 16 E. 19 beam ends;
made as Do. 18 " " " " S 65 N. 29 " " "
79.40 To the post cor of lot. 19. 20. 29. & 30.

West Between Lot. 19 & 30. T. 9. N. 7. W. N. 5. 30
40.00 Set a 1/4 support from which
Hewitt 3 in. diam. beam. S 53 W. 12 beam ends; 4 1/2
Do. 2 " " " " N 10 E. 14 " " "
82.00 Enter at the West Boundary 68 links, South of the
Post cor of lot. 24 & 25. T. 9. N. 8. W. and set a post.
for the cor of lot. 19 & 30. from which
W Oak. 36 in. diam. beam. S 75 W. 12 beam ends; 4 1/2
B. Oak. 36 " " " " N 65 E. 69 " " "
Lands 2nd rate; Timber W Oak & Hewitt.

South Between Lot. 19 & 20 T. 9. N. 7. W. On a Random line

T. No. 9 N.R. No. 77. 2nd Mer. Line

40.00 L. Prairie Apr. 15, 1845
 79.70 Set a 1/4 section temp. 7.
 Enter cut the E & West line 67 links North of the post
 cor of lat 19.20. 29 & 30.

North On the true line between Lat 19.20 79. N.R. 77.
 39.85 Set the temp. 7 post at the arched on the true line from
 which, North 12 in. diam. brass. S 54 E. 32 links dist.
 and a Lc. 18 " " " S 77 N. 38 " "
 79.70 To the post cor of lat 17 18 19 & 20.

West Between Lat 17.520 79. N.R. 79.
 40.00 Set a 1/4 section from which
 North 36 in. diam. brass. S 69 W. 54 links dist; & a
 Lc. 18 " " " N 77 E 98 " "
 80.00 Set a post for the cor. of lat 17.18 19 & 20 from which
 N Oak 18 in. diam. brass. S 46 E. 44 links dist; & a
 Lc. 24 " " " N 46 E 36 " "
 Good farming lands; Timber N & W Oak &

West Between Lat 18.19 79. N.R. 77 71.5° 36
 40.00 Set a 1/4 section from which
 N. Oak 36 in. diam. brass. N 76 W. 30 links dist; & a
 Lc. 30 " " " S 57 N. 29 " "
 81.18 Enter cut the West Boundary 190 links North of the
 Post cor of lat 13 & 24 79. N.R. 8 W. and set a post
 for the cor " " 18 & 19. from which
 North 4 in. diam. brass. N 31 E. 53 links dist; & a
 Lc. 12 " " " S 2 E. 56 " "
 Good farm and last mine

North Between Lat 17.8 18 79. N.R. 77. On a Ridge
 40.00 Set a temp. 7 1/4 section N 7° 15'.

7980	Intersect the East & West line 40 links West of the cor of Lot 17, 18 & 19.
	Land same.
North 3990	On the true line between Lot 17 & 18. T. N. G. M. R. N. 7th. Set a stump 1/4 support at the cor. with the true line. From which, N. 101° 14' in dir. 600 yds. S 54° 41' 38" links dir; and N. 30° " " " S 27° 0' 53" "
7980	Set the Post cor of Lot 7, 8, 17 & 18.
West 4000	Between Lot 8 & 17. T. N. G. M. R. N. 7th. Set a 1/4 support from which, N. 101° 14' in dir. 600 yds. East. 50 links dir; & S 8° " " " S 57° 0' 53" "
8000	Set a Post for the cor of Lot 7, 8, 17 & 18 from which, N. 101° 14' in dir. 600 yds. S 54° 41' 38" links dir; & S 30° " " " S 27° 0' 53" "
	Good farming land; Timber N Oak & B Oak & S.
West 4000	Between Lot 7 & 18. T. N. G. M. R. N. 7th. N. 5° 30'
	Set a 1/4 support from which, N. 101° 14' in dir. 600 yds. S 54° 41' 38" links dir; & S 30° " " " S 27° 0' 53" "
8128	Intersect the West Boundary 256 links South of the Post cor of Lot 12 & 13. T. N. G. M. R. N. 8th. 41' and set a Post for the cor of Lot 7 & 18 from which, N. 101° 14' in dir. 600 yds. S 54° 41' 38" links dir; & S 30° " " " S 27° 0' 53" "
	Land 2nd rate Timber N Oak & B Oak & S.
South 4000	Quadrangle line between Lot 7 & 8. T. N. G. M. R. N. 7th. N. 7° 15'
8130	Set a stump 1/4 support, Intersect the East & West line at the cor of Lot 7, 8, 17 & 18.

T. N. G. N. R. No. 7/11. 2nd Mer. Land.

Land 2nd rate prairie and 7 Oak. land.

North Between Sec 7 & 8. T. 9. N. R. 7 N.
40.15 Set the trip 7th support at the av. creek on the line.
from which Newk 6 in dist. bears N 71 E. 19 links N 13;
and a " " " " S 67 N 19, "
80.30 To the post cr. of Sec. 5, 6, 7, & 8.

West Between Sec. 5 & 6. T. 9. N. R. 7 N. N. 17. 18 15. N. 5.
40.00 Set the 7th support in prairie
63.00 Leave prairie.
80.00 Set a post for the cor. of Sec. 5, 6, 7 & 8. from which,
N Oak. 24 in. dist. bears S 24 N. 36 links N 13; S 13;
" " " " N 11 E. 71 " "
Land 2nd rate prairie and 7 Oak. land.

West Between Sec. 6 & 7. T. 9. N. R. 7 N. N. 5 30
40.00 Set a 7th support from which,
N Oak. 36 in. dist. bears N 24 N E links N 13; S 13;
" " " " S 48 E. 6 " "
75.00 To a small prairie
79.37 Set the 7th West Boundary 267 links South of the
post cr. of Sec. 1 & 2 T. 9. N. R. 8 N. and set a post for
the cor. of Sec. 6 & 7.
Land 2nd rate prairie; Land 2nd rate.

North Between Sec. 5 & 6. T. 9. N. R. 7 N. N. 7 15
40.00 Set a 7th support from which,
N Oak. 24 in. dist. bears N 74 N. 22 links N 13; S 13;
N Oak. 18 " " " " S 70 N 29, "
82.50 Set the N Boundary 90 links East of the post cr.
Sec. 31 & 32. T. 10. N. R. 7 N. and set a post for the cor.
" " 576. from which,

T. N. 9. N. 18. N. 7 W. 2nd Mer. Ind.

W. Clark. 12th ad. dec. 1840. N 25 E. 11 miles north; & c.

W. Clark 20th " " 1841. 55 " "

Land 2nd rate; good lay; Surveyor W. B. Clark.

Surveyed by William Harris
Deputy Surveyor.

Attest that the foregoing Transcript of the field notes of Township N. 9. North of Range N. 7 West of the 2nd Mer. in Indiana has been compared with the Original notes in this Office and found to be correct.

Surveyor General's Office,
Cincinnati, June 15. 1841

E. S. Harris
Sur. Gen.